

7m Extension Lead

7m Extension Lead for use to extend the length of the charger's reach from input to battery.

Use the 7m long lead extension with the Battery Tender Waterproof or International models



Ring Terminal Harness

Ring Terminal Harness Accessory for use with multiple batteries. Black Quick Disconnect. For 12 volt models only. Contains a 3 amp fuse. 2 ft. long.



Battery Tender International

The popular Battery Tender is now offered internationally! The world's most advanced battery charger switches automatically from charge to long term storage. The #1 Selling Charger in the U.S. Powersports Industry! Widely marketed throughout the U.S. by leading Sports Vehicle Manufacturer's & Distributors.



- International Input Model (Worldwide Usage).
- Voltage Range 100-240 VAC 50/60 Hz.
- 12 volts @ 1.25 amps.
- Switch mode Design- Lightweight & compact (0.45 kg).
- 4 step fully automatic charging (Initialization, Bulk, Absorption, Float/ Maintenance).
- Microprocessor Controlled Constant Current Charging! (Never shuts off while monitoring state of charge).
- Reverse Polarity Protection.
- Charges as fast as a 3 amp taper charger!
- Perfect for all AGM (absorbed glass mat) gel, sealed maintenance free and flooded batteries.

Complies to all International safety standards UL/CSA/CE.

Waterproof 800

Waterproof International Deltran Battery Tender

Once again the engineers at Deltran have led the way in innovation and convenience by introducing the new for 2003 waterproof Battery Tender. This compact 800 mA battery charger has all the charge characteristics of its cousin the Battery Tender Junior. The new unit incorporates surface mounted circuit board componentry along with total epoxy encapsulation.

The new charger is no larger than a standard computer mouse yet packs 800 milliamps of pure constant current charging power. Coupled with a brain (IC chip), the charger will constantly monitor, charge, and then maintain your battery --- even while totally submersed under water! Perfect for all outdoor types of ATV's, watercraft, motorcycles, boats, or anywhere water is a threat. International universal input voltage works anywhere in the world 100-240 AC Volts 50/60 Hz.

- "Supersmart" Technology
- Spark Proof
- Short Circuit Protected
- Reverse Polarity Protected
- Waterproof
- Weighs only 0.45kg
- 3 Year Warranty



Supplied with clips as shown above and a set of fused ring terminals.